

International Nickel Study Group



REPORT ON THE USE OF NICKEL



IN BATTERIES

Report Available Now

- This report was commissioned by INSG to obtain improved information on the use of nickel in battery applications including energy storage. It is part of on-going efforts by INSG to understand the dynamics driving change in the nickel market
- Provides INSG member governments and the industry with an overview of the topic and confirm details of quantities of nickel used in batteries as well as confirming the sufficient availability of nickel to meet the demand by battery industry
- Describes the changing patterns of demand, the industry structure, price factors, technological advancement related to the use of nickel in batteries and environmental regulation governing battery industry
- Statistics and analysis cover the past 6 years and projects into the year 2021
- Enhances understanding of all aspects of the use of nickel in batteries
- The Report will be supplied in PDF format

Table of Contents

1 Primary Nickel output breakdown

1.1 Primary Nickel output and breakdown

1.2 Nickel sulphate production

1.3 Nickel sulphate producers in China

2 Raw materials supply of nickel sulphate

2.1 Nickel intermediate

2.2 Nickel briquette

2.3 High nickel matte

2.4 Recycled nickel

3 Nickel consumption breakdown

3.1 World primary nickel consumption structure

3.2 Stainless steel

3.3 Battery

4 Nickel consumption breakdown in batteries

4.1 Nickel foam

4.2 Spherical nickel hydroxide

4.3 Hydrogen storage alloy

4.4 NCM/NCA materials

5 Lithium batteries using by industry

5.1 Vehicles

5.2 3C

5.3 ESS

6 Analysis of secondary uses of batteries status and perspective

6.1 Recycling and regeneration of retired batteries

6.2 Recovery and reuse of retired batteries

7 Advantages and disadvantages when competing with other alternative materials

7.1 Material availability and cost

7.2 Material consumption and performance

8 Changes in technology and methods that may change demand

8.1 High nickel ternary material

8.2 Silicon anode

8.3 Solid state battery

8.4 Lithium–sulfur battery

8.5 Lithium–air battery

8.6 Fuel cell

9 The regulatory framework governing the battery industry

9.1 The US

9.2 The EU

9.3 Japan

9.4 China

10 Issues that could affect nickel usage in China's battery industry

10.1 Raw material availability

10.2 Policy and environmental issues

Appendix

- **Primary nickel output (nickel cathode, NPI, salts)**
- **Nickel sulphate production**
- **Recycled nickel used to produce nickel salts**
- **Nickel usage in stainless steel**
- **Nickel usage in batteries**
- **World primary nickel consumption structure**
- **World primary nickel consumption in battery**
- **Nickel usage in spherical nickel hydroxide**
- **Nickel usage in hydrogen storage alloy**

Order Form

email to insg@insg.org
or fax to + 351 21 356 7039

To INSG: Rua Almirante Barroso 38 - 5, Lisbon 1000-013, Portugal

Please Supply

No. of Copies:

“The Use of Nickel in Batteries”

Price €1500 for companies from Member countries*

Price €3000 for companies from Non Member countries

CONTACT DETAILS

Family Name

First Name

Company

Title

Address

Tel

Email

Fax

PAYMENT

By credit card (VISA or Mastercard)

By cheque - made payable to 'INSG'

Card No

Cardholder Name (as on card)

Expiry Date

Security Code

(last 3 digits on back of card)

Signature

By Cable transfer in **EURO** to our bank account (**IBAN PT50 0033 0000 4530 3828 0790 5**)
Account nr. **4530 3828 079** with Millennium BCP, Lisbon (swift code: BIC BCOMPTPL)

Please include the above giro account and invoice numbers with your payment.

The buyer agrees to take all necessary steps to observe the confidentiality of the Report, and further agrees not to reveal any of the contents of the Report, in whole or in part, to any third party without the prior written agreement of the International Nickel Study Group.

Signed _____

* **Member Countries: Australia, Brazil, Cuba, Finland, France, Germany, Greece, Italy, Japan, Norway, Portugal, Russian Federation, Sweden, United Kingdom.**